Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, SANITARY LEGISLATION, AND RELATED SUBJECTS

VOLUME 32

NUMBER 22

JUNE 1, 1917

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Sanitary legislation, including court decisions on matters relating to public health administration and the laws and regulations being enacted or adopted by State and municipal authorities for the safeguarding of the public health. (3) Articles relating to the cause, prevention, or control of disease. (4) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT

5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Maintenance of health in industries—Its relation to the adequate production of war materials 835
Epidemic cerebrospinal meningitis—Current prevalence in cities of the United States 839
Poliomyelitis (infantile paralysis)—Recorded prevalence by States, 1916 840
Immunization against typhus fever—A report of an unsuccessful attempt to immunize monkeys against typhus infection by cultures of B. typhi exanthematici (Plotz) 841

PREVALENCE OF DISEASE.

United States:
Reciprocal notification—
Minnesota 849
Cerebrospinal meningitis—
Kansas 850
Ohio—Akron 850
State reports for April, 1917 850
Washington report for March, 1917 851
City reports for week ended May 12, 1917 851
Diphtheria—
North Carolina—Edgecombe County 851
Erysipelas—
City reports for week ended May 12, 1917 852
Leprosy—
California—Los Angeles County 852
City report for week ended May 12, 1917 852
Malaria—
State reports for April, 1917 852
City reports for week ended May 12, 1917 853
Measles—
Alabama—Jefferson County 853
California—Los Angeles 854
North Carolina—Edgecombe County 854
Washington—Seattle 854
Pellagra—
State reports for April, 1917 854
City reports for week ended May 12, 1917 855
Pneumonia—
City reports for week ended May 12, 1917 855
Poliomyelitis (infantile paralysis)—
Kansas 855
State reports for April, 1917 856
City reports for week ended May 12, 1917 856
Rabies in animals—
City reports for week ended May 12, 1917 856
Rocky Mountain spotted fever—
Wyoming—Washakie County 856

United States—Continued.
Scarlet fever— Page.
Wyoming—Cheyenne 856
Smallpox—
Massachusetts—Fitchburg 857
Massachusetts—Worcester 857
Minnesota 857
North Carolina—Edgecombe County 857
Pennsylvania—Philadelphia 857
Texas—Galveston 857
State reports for April, 1917 858
Miscellaneous State reports 860
City reports for week ended May 12, 1917 862
Tetanus—
City reports for week ended May 12, 1917 862
Typhoid fever—
State reports for April, 1917 863
Washington report for March, 1917 865
City reports for week ended May 12, 1917 865
Typhus fever—
Texas 865
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for April, 1917 866
Washington report for March, 1917 866
City reports for week ended May 12, 1917 866
Special State reports—
California report for week ended May 12, 1917 869
Foreign:
China—
Plague—Amoy 871
Access of rats to vessels—Precautions against—Amoy 871
Cuba—
Communicable diseases—Habana 871
Indo-China—
Cholera—Plague—Smallpox—January, 1917 871
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during the week ended June 1, 1917—
Cholera 872
Plague 872
Smallpox 873
Typhus fever 874
Reports received from December 30, 1916, to May 25, 1917—
Cholera 874
Plague 876
Smallpox 878
Typhus fever 881
Yellow fever 883